

In The Claims:

1. (Currently Amended) A radio communication network software downloading method, comprising:

~~[communicating terminal unique information for downloading common software content from the network to a plurality of terminals in the network on corresponding dedicated communication channels for each terminal;]~~

sending, from the network, a message to ~~[the]~~ a plurality of terminals on corresponding dedicated communication channels to receive ~~[the common]~~ software content on a shared channel;

transmitting the ~~[common]~~ software content from the network to the plurality of terminals on the shared communication channel after sending the message,

the software content comprises a plurality of different software content, [multiplexing a] the plurality of different [common] software content multiplexed on the shared communication channel; [

dynamically adjusting the plurality of different ~~[common]~~ software content multiplexed on the shared communication channel ~~[in proportion to a changing number of the plurality of terminals receiving the plurality of different common software content,]~~

by prioritizing software content that generates greater amounts of revenue relative to software content that generates lesser amounts of revenue.

2. (Currently Amended) The method of Claim 1,

receiving a request for [~~the common~~] different software content from [a] the plurality of terminals on corresponding dedicated communication channels [~~for each terminal~~],

transmitting the [~~common~~] software content from the network to the plurality of terminals [~~making the request~~] on the shared communication channel after receiving the request;

receiving confirmation from each of the plurality of terminals that received the software content on corresponding dedicated communication channels for each terminal after transmitting.

Claim 3 (Canceled).

4. (Original) The method of Claim 1, receiving confirmation from each of the plurality of terminals that received the common software content on corresponding dedicated communication channels for each terminal after transmitting.

5. (Currently Amended) The method of Claim 1,
transmitting a digital signature from the network to [a] the plurality of terminals over corresponding dedicated communication channels for each terminal;

transmitting the [~~common~~] software content from the network to the plurality of terminals on the shared communication channel after transmitting the digital signature.

Claims 6-8 (Canceled).

9. (Currently Amended) A radio communication network software downloading method, comprising:

transmitting software content from a radio communication network to a plurality of terminals in the network [~~by multiplexing the software content~~] on a shared communication channel received by the plurality of terminals,

the software content comprises a plurality of software files multiplexed on the shared communication channel; and

~~[; dynamically adjusting the software content multiplexed on the shared communication channel by adjusting a number of times each of the plurality of software files is transmitted]~~

prioritizing the transmission of software files that generate greater amounts of revenue relative to the transmission of software files that generate lesser amounts of revenue.

10. (Original) The method of Claim 9, dynamically adjusting the software content multiplexed on the shared communication channel from a radio device management server in communication with the radio communication network.

11. (Original) The method of Claim 9, the software content comprises a plurality of different software files, dynamically adjusting the software content multiplexed on the shared communication channel by adjusting a transmission time of each of the plurality of software files.

Claims 12-15 (Canceled).

16. (Original) The method of Claim 9, receiving confirmation from each of the plurality of terminals that received the software content on corresponding dedicated communication channels for each terminal after transmitting.

17. (Original) The method of Claim 9, fragmenting the software content multiplexed on the shared channel by packetizing the software content.

Claims 18-19 (Canceled).

20. (New) A radio communication network software downloading method, comprising:

transmitting software content from a radio communication network to a plurality of terminals in the network on a shared communication channel received by the plurality of terminals,

the software content comprises a plurality of software files multiplexed on the shared communication channel;

dynamically adjusting the plurality of software files multiplexed on the shared communication channel based upon file size.